DATA SHEET

AMILO DISPLAY XL 3220T
Entertainment Multitalent

Issue: **April 2009**

The AMILO Display XL 3220T demonstrates your exquisite taste and feeling for that “something special”. Never before has cutting-edge technology been merged together with such style and harmony.

Rasor sharp pictures due to extremely high ACR (Advanced Contrast Ratio) up to 10,000:1

ECO control button

Highly flexible connectivitiy thanks to different interfaces -
2 x HDMI V1.3 (includes DVI connector), Analog

Ultra-fast response time (typ.) of 2 ms, perfect for Internet, home office, multitasking and more

Lifetime extender and theme mode for optimized picture

Due to integrated speakers no further accessories needed

Computer Bild Test-Sieger
Computer Bild 05/09 Test "gut"

ENERGY STAR

TCO Development TCO'06 MEDIA DISPLAYS

CERTIFIED FOR Windows Vista®

GREEN | ECO CONTROL | RESPONSE TIME | ACR CONTRAST | HIGH DEFINITION | HDCP | HDMI | SPEAKER

AMILO Display XL 3220T

Special features	
	Lifetime Extender, ECO control button, Consumer Electronic Control (CEC): commands “display turn on/off” support, removable back cover, cable guide
Stand	removable
Tilt angle	+ 5° / - 15°
Picture performance	
Contrast - advanced	20,000:1
Response time gray to gray typical	2 ms
Viewing angle (h/v)	170° / 170°
Color performance	16.7 Mio colors (Hi-FRC)
Brightness - typical	300 cd/m²
Size and resolution	
Aspect ratio	16:9
Diagonal Size	21.5-inch (54.6 cm)
Resolution (native)	1920 x 1080 pixel (recommended)
Resolution (interpolated)	1680 x 1050 pixel, 1440 x 900 pixel, 1280 x 1024 pixel
Video modes	1080i/p, 720i/p, 576i/p, 480i/p
Picture size	477 x 268 mm
Pixel Pitch	0.248 mm
Frequencies	
Horizontal analog	32 kHz - 82 kHz
Horizontal digital	15 kHz - 82 kHz
Vertical	56 - 76 Hz
Frequencies - bandwidth	225 MHz
Connections	
Video input	2 x HDMI, 1 x D-SUB
Audio sound output	2 x 1.5 W
Audio signal input	3.5 mm stereo phone jack
HDMI audio	Yes
OSD Languages and setting options	
Languages	Czech, Danish, Dutch, English, Finish, French, German, Hungarian, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish
Brightness / Contrast	Brightness, Contrast
Color	Warm, Custom Color, 6500K
Image adjust	Clock, H-Position, V-Position, Expansion
Audio	Mute, Volume
Information	Resolution/mode, Signal input
Mode	General, Movie, Picture, Game
Power consumption (typical, w/o sound)	
Hard switch off	0 W
Soft switch off	0.3 W
Power save mode	0.3 W
Operating with EPA settings	28 W
Operating maximum brightness	39 W
Electrical values	
Rated voltage range	100 - 240 V
Rated frequency range	50 - 60 Hz

Electrical values	
Protection class	1
Compliance	
Europe	CE
USA/Canada	FCC Class B, cUL
Australia&New Zealand	C-Tick
Russia	GOST
Saudi Arabia	SASO
Global	TCO'06, ENERGY STAR® 4.1, ISO13406-2 (Pixel fault class II), IT-Eco-Declaration, RoHS, WEEE
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Quality and Reliability	
MTBF (demonstrated)	70.000 h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	515 x 53.9 x 310 mm
Dimension with stand (W x D x H)	515 x 185.2 x 377.2 mm
Weight (packed)	5.8 kg
Weight (unpacked)	4.6 kg
Weight (Monitor only)	
Operating ambient temperature	5 - 35°C
Miscellaneous	
	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock, Removable cable guide
Package content	
	Adapter cable 1.8 m, DVI-D to HDMI, Data cable 1.8m, D-SUB (15-pin), Audio cable 1.8m, Warranty booklet, Utility CD, Quickstart flyer, Safety booklet, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8m
Order information	
SAP order name	AMILO LXL 3220T
Order Code	S26361-K1307-V181
EAN Code	4333643838560

Information about environmental care, policies, programs and our Environmental Guideline FSC 03230:
http://ts.fujitsu.com/aboutus
Take back and Recycling information:
http://ts.fujitsu.com/recycling

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions April 2009

Published by
Fujitsu Technology Solutions
http://ts.fujitsu.com/